

System V Release 4



Amiga® UNIX®

Learning Amiga UNIX

Copyright 1990 Commodore-Amiga Inc. All rights reserved.

Commodore and Amiga are registered trademarks of Commodore Electronics Ltd. and Commodore-Amiga, Inc., respectively. This document may also contain reference to other trademarks and registered trademarks for the various products listed which are believed to belong to the sources associated therewith.

The information contained herein is subject to change. Furthermore, this listing should not be considered as containing any endorsement or representation with respect to the products listed, their use, results, performance, capabilities, appropriateness or availability.

THIS INFORMATION IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED. THE ENTIRE RISK AS TO THE USE OF THIS INFORMATION IS ASSUMED BY THE USER.

IN NO EVENT WILL COMMODORE BE LIABLE FOR ANY DAMAGES, DIRECT, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL, RESULTING FROM ANY DEFECT IN THE INFORMATION, EVEN IF IT HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

If this product is being acquired for or on behalf of the United States of America, its agencies and/or instrumentalities, it is provided with RESTRICTED RIGHTS, and all use, duplication, or disclosure with respect to the included software and documentation is subject to the restrictions set forth in The Rights in Technical Data and Computer Software clause at 252.227-7013 of the DOD FAR and the Rights in Data-General clause at 52.227-19 of the FAR. Unless otherwise indicated, the manufacturer/integrator is Commodore Business Machines, Inc., 1200 Wilson Drive, West Chester, PA 19380.

OPEN LOOK is a trademark of AT&T.

UNIX is a registered trademark of AT&T.

Ethernet is a trademark of Xerox Corporation.

PostScript is a registered trademark of Adobe Systems, Inc.

X Window System is a trademark of the Massachusetts Institute of Technology.

XENIX and MS-DOS are registered trademarks of Microsoft Corporation.

Preface

This manual is written for people who have never used UNIX before. It includes a series of introductory tutorials that cover most basic user tasks. After completing all tutorials, readers should move on to the comprehensive user guide, *Using Amiga UNIX*. Experience with any desktop computer may be helpful, but is not required.

Credits

Written by Carol Wahl

Directed by Richard Buck

Reviewed by Jan Carlson, Mike Ditto, Ken Farinsky, Mike Hall, Kendall Robinson, and Rich Skrenta

Artwork by Cynthia Robinson

Additional contributions by Dave Ballman, Don Bein, Jesse Bornfreund, Paul Calkin, Keith Gabryelski, Sam Frederick, and Randy Gort

Produced by Johann George

This manual was written and produced using Amiga UNIX and the X Window System. 11/90

Table of Contents

About this manual	i
Conventions	iv
Learning the basics	1
Look at your virtual screens	2
Log in and log out	4
Change your password	6
Find help	8
Use desk tools	10
Chapter review	14
Working with directories	15
Change and create directories	17
List directory contents	23
Rename directories	26
Remove directories	27
Chapter review	29
Editing files using vi	31
Create files in vi	34
Create more files	37
Delete text and undo changes	41
Edit a file	46
Copy and move text	50
Search and repeat	54
Chapter review	59
Using UNIX file commands	61
Display a file	64
Print a file	67
Copy a file	69
Rename or move a file	71
Delete a file	76
Chapter review	77

Working with processes	79
Create and cancel a foreground process	80
Create and cancel a background process	81
Chapter review	84
Communicating with other users	85
Find active users	87
Talk to another user	89
Use electronic mail (elm)	93
Mail another message	101
Chapter review	105
Changing your system	107
View terminal information	108
Change command keys	110
Change screen colors	113
Change screen fonts	115
Create aliases	116
Chapter review	120
Using X windows	121
Chapter review	128
Index.....	129

About this manual

About this manual

Who should read this manual?

This tutorial is designed for people who have never used UNIX before. Each set of instructions is written simply so a novice user can perform the tutorial tasks. If you are an advanced UNIX user, you probably don't need to read this manual.

Why should you use this manual?

A series of hands-on exercises shows you how to perform basic Amiga UNIX functions, including:

- using virtual screens
- logging in and logging out
- changing your password
- finding help
- using basic desk tools (displaying the date and time, displaying a calendar, and using a calculator)
- creating, copying, and deleting directories
- creating and editing text files
- printing, copying, deleting, moving, and renaming files
- working with foreground and background processes
- using the **talk** and electronic mail utilities to communicate with other users
- viewing terminal information
- changing the way your keyboard works
- changing your virtual screens
- creating your own commands
- working with OPEN LOOK and the X Window System

Conventions

Four style conventions

We use four typographic conventions in this manual to highlight specific concepts.

Convention	What does it mean?
bold words	a UNIX command or command line: ls -lt man ls
italics	a value to be substituted, frequently as part of a command line: <i>filename</i> cat <i>filename</i> also used for chapter and manual titles: <i>Using Amiga UNIX</i> <i>Learning the Basics</i>
uppercase	a key on the keyboard, or a combination of keys if connected by a hyphen: RETURN CTRL-C
typewriter font	text that appears on your screen either as you type it or in response to your commands; values to be substituted by you are in italics

CTRL key combinations


RETURN

Whenever you see a control key combination, hold down the CTRL key and press the character on the keyboard. For example, CTRL-C means hold down the CTRL key and press C.

The RETURN key on a standard 3000UX keyboard is the large arrow key on the right of the typewriter keypad.

BACKSPACE


The BACKSPACE key is the left arrow key above the RETURN key.



Special keys on your keyboard


If you use the X Window System

If you're using the X Window System, type the commands as they are written in this tutorial; you do not have to follow any special procedures. Refer to the *Changing your environment* chapter for information about using X.



Learning the basics

Virtual screens



You have up to ten virtual screens that you can use as individual terminals. You move between the screens by pressing *ALT-functionkey*.

Basic commands

passwd	change password
man	read on-line reference
date	display current date and time
cal	display a calendar
bc	use the calculator
sc	use the spreadsheet program

Log in and out

To log in, enter your *username* at the login prompt. If you have a password, enter it at the password prompt.

To log out, simply press CTRL-D.

Learning the basics

What's in this chapter?

This chapter contains exercises to help you get started on UNIX. You'll learn how to:

- use virtual screens
- log in and log out
- change your password
- get help
- use simple desk tools


Before you begin

You or the system administrator set up an account for you on the system. You need to know your username and password in order to log in.

Look at your virtual screens

What are "virtual screens"?

"Virtual screens" make your single computer work like eight or more terminals, all using the same monitor and keyboard. Let's look at your virtual screens.



Your computer can have up to 10 virtual screens

**Press
ALT-functionkey
to move
between screens**

1. Hold down ALT and press the function keys (F2 through F10), one at a time. The ALT-functionkey combination moves you among your virtual screens.

**Don't work on the
F1 console
screen**

If F9 and F10 don't work, those virtual screens haven't been turned on yet. Your system is installed with F1 through F8 turned on; you can also turn on F9 and F10, but this uses more memory. Refer to *Using Amiga UNIX* for instructions.

As you can see, each screen has a login prompt; this allows you to log in to each screen just as if you had ten separate computers.

The letter size and colors are set up differently for each virtual screen. You can change the screen settings to suit your needs. You'll practice changing your screens in an exercise later in this tutorial.

2. Although you can use any of the virtual screens for the tutorial, you should avoid using the first screen (ALT-F1) because it's the console screen and is normally reserved for special processing.

Let's use virtual screen 2 for the following exercise; press ALT-F2.


Log in and log out

Type your username

UNIX is case sensitive

1. Type your *username* next to the login prompt, and press RETURN.

Be sure to pay attention to upper and lower case letters; UNIX is case sensitive. For example, if you type **Man** rather than **man**, UNIX responds with an error. If you make an error, just press RETURN until the login prompt appears again.



Log in steps 1, 2, 3, and 4

Enter your password

2. If your account has a password, enter it and press RETURN.

Your password doesn't appear on the screen when you type it because it is supposed to remain confidential. Your password prevents other users from logging in to your account.

Read your system messages

3. Most likely, you won't have any system messages yet, but if any appear on your screen, read them.

System messages include important notes from your system administrator or notices from UNIX processes. For example, if you have any mail messages, UNIX displays the "you have mail" notice. (You'll learn how to use the **elm** electronic mail utility later in the tutorial.)

Look at your prompt

4. Look at your shell prompt. Depending upon how your system is set up, either % (percent sign) or \$ (dollar sign) appears as your shell prompt. \$ is the Korn shell prompt; % is the C shell prompt.

What's a shell?

A shell is the interpreter that UNIX uses to understand the commands you type. Almost all commands work the same way with each of the shells; however, some shells have additional features. Refer to *Using Amiga UNIX* for descriptions of the various shells.

Once the shell prompt appears, you have successfully logged in to your system, and you can begin to use UNIX commands.

Log out

5. Log out of the system by pressing CTRL-D.
6. Press ALT-F2 to access the F2 screen again.

Log in again

7. Log back in to your system so you can perform the next exercises.

Change your password

Change your password (passwd)

To show you how easy UNIX is to use, let's change your password.

1. At the shell prompt, type **passwd** and press RETURN.
2. If you already have a password, type it at the old password prompt. If you don't have a password, this prompt doesn't appear.
3. When the **passwd** command asks you to type a new password, type **change1** and press RETURN. Remember, you won't see the password on your screen because it's confidential.
4. The **passwd** command asks you to type the new password again; this step ensures you did not make a spelling mistake while typing the password the first time. Retype **change1** and press RETURN. Your new password is change1.

```
$ passwd
Old password:
New Password:
Re-enter new password:
$
```

Change password steps 1, 2, 3, and 4

5. To test your new password, log out of the system by pressing CTRL-D.
6. Press ALT-F2 to log in to the F2 virtual screen again.

Log out

**Log in with new
password**

**Change your
password again**

7. Log in again by typing your *username* at the login prompt.
8. Type **changel** for your password and press RETURN. Your shell prompt appears.
9. Change your password back again or create a new one using these same steps.

NOTE: A password must be at least six characters long and must contain at least two alphabetic characters and at least one numeric or special character. For example, **test**, **test1**, and **123456** are not valid passwords; **testing1** is.

Find help

Use the **man** command for help

Read the **man** page for **cp**

Try the **man** command keys

If you forget how to use a command or want to learn more about one, type **man command** and press RETURN to read an on-line description of the function. The on-line **man** (manual) pages describe each command in detail.

1. Type **man cp** and press RETURN to view the on-line reference for the **cp** command.

```
Reformatting page. Wait...done
cp(1)          USER COMMANDS          cp(1)
NAME:
    cp - copy files
SYNOPSIS:
    cp [-i][-p][-r]file1 [file2...] target
DESCRIPTION:
    The cp command copies file1 to target.
    .
    .
--More-- (43%)
```

Sample man page

2. The prompt at the bottom of the screen indicates there's more of the file to read. Use the command keys in the table on the next page to move around the **man** pages. Wait until the prompt appears before trying another command.

man command keys

Key	Description
RETURN	display next line
SPACE	display next screen
b	display previous screen
h	display help for man pages
q	quit

more

man pages are "piped" (sent) through the **more** command, which displays text files a page at a time; the keys listed in the chart above are display commands that work with **more**.

man passwd

3. Try another **man** page. Type **man passwd** and press RETURN. Press SPACE to read the next screen. Press **b** to go back to the previous screen. Press **q** to quit.

man man

4. Find out more about **man**; type **man man** and press RETURN.

Use desk tools

Desk tools

These exercises introduce you to some basic desktop tools:

- clock
- calendar
- calculator
- spreadsheet program

Display date and time

1. First, let's look at the date and time. At your shell prompt, type **date** and press RETURN. The **date** command acts as an on-line clock; it displays the current day, date, and time.

NOTE: UNIX uses a 24-hour clock. (1PM is 13:00.)

```
$ date
Thu Jul 12 09:23:29 EDT 1990
$
```

Display the date and time, step 1

Display calendar

2. Now, let's look at an on-line calendar. Type **cal** (calendar) and press RETURN. **cal** displays a calendar for the current month.

You can look at a calendar for any month or year by adding "arguments" to the **cal** command line. (Argument is the UNIX term for additional information typed after a command.) The **cal *month year*** command displays any month of any year.

Display year

The more command

Display month

3. Let's look at the calendar for 1991. Type **cal 1991** and press RETURN. The calendar rapidly scrolls down your screen.
4. Use the **more** command to display part of a calendar at a time. Separate the **cal** command from the **more** command with a | (pipe). The pipe key is next to the BACKSPACE key; it's the two vertical lines above the backslash.

Type **cal 1991 | more** to display part of the calendar at a time. Press the SPACEBAR or RETURN to display more lines.

You'll learn more about the **more** command later in the tutorial.

5. To look at March of 1991, type **cal 3 1991** and press RETURN.

```
$ cal 3 1991
      March 1991
S   M   Tu  W   Th  F   S
    3   4   5   6   7   8   9
10  11  12  13  14  15  16
17  18  19  20  21  22  23
24  25  26  27  28  29  30
31
```

Display a calendar, step 5

Try the on-line calculator

- 6. Now, let's use the on-line calculator. Type **bc** (binary calculator) and press RETURN. Notice that the prompt disappears; this is because **bc** is waiting for you to start typing. (The shell prompt returns when you exit from **bc**.)
- 7. Type **2 + 2** and press RETURN. **bc** displays the answer to your equation (4).

```
$ bc
2+2
4
```

Try the on-line calculator, steps 6 and 7

You can perform several kinds of calculations with the on-line calculator. Here's a list of some of the symbols you use for basic mathematical operations.


Symbol	Operation
+	addition
-	subtraction
*	multiplication
/	division

Quit the calculator

- 8. To quit the calculator, press CTRL-D. Your shell prompt appears, and you're ready to perform more UNIX commands.

Look at the spreadsheet program

9. Amiga UNIX also includes a public domain spreadsheet program. To access the program, type **sc** (spreadsheet calculator) and press RETURN. A standard spreadsheet format displays.



Sample spreadsheet

Read sc help

10. We won't create a spreadsheet now, but you can read the on-line help available with the **sc** command. Press **?** to see the overview list and then press **b** through **n** to view the help selections.

Quit sc help

11. Quit out of the **sc** help by pressing **q**.

Quit sc

12. To quit the spreadsheet program, press **q**. Your shell prompt appears.

For more information



For more information about the desk tools, read the **man** pages for **more**, **date**, **cal**, **bc**, and **sc**.

Chapter review

Here are some important points you learned in this chapter:

- You have up to ten virtual screens that you can use as individual terminals.
- You need to know your username and password (if you have one) to log in.
- To log out, press CTRL-D.
- Use the **passwd** command to change your password.
- Type **man command** to view the on-line reference for a specific command.
- Amiga UNIX provides a variety of on-line desk tools:
 - **date** (clock)
 - **cal** (calendar)
 - **bc** (calculator)
 - **sc** (spreadsheet program)


JANUARY						
S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			



	A	B	C	D	E	F	G	H
1	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-

Working with directories

Change directories



You're in `/home/joe` and you want to move to `/home/mary`, type one of the following:

`cd ../mary`
`cd /home/mary`

You're in `/home/joe` and want to move down to `stuff`, type one of the following:

`cd stuff`
`cd /home/joe/stuff`

You're in `/home/joe` and you want to move up to `/home`, type one of the following:

`cd ..`
`cd /home`

Directory commands

<code>pwd</code>	display the current directory name
<code>mkdir</code>	create a directory
<code>cd</code>	change the current directory
<code>ls</code>	list the contents of a directory
<code>ls -l</code>	list files in long format
<code>ls -a</code>	list all files
<code>ls -al</code>	list all files in long format
<code>ls -lt</code>	list files by time in long format
<code>ls -lrt</code>	list files by reverse time in long format
<code>mv</code>	move or rename a directory or file

Working with directories

What's in this chapter?

This chapter contains exercises for working with directories, including such tasks as:

- showing the current directory
- creating new directories
- changing the current directory
- listing the contents of a directory
- renaming directories
- removing directories


Before you begin

Before you work with them, you need to understand what directories are, how they're named, and how to move among them.

The following pages briefly describe directories and directory structures. For a more complete explanation, refer to the *Working with files and directories* chapter in *Using Amiga UNIX*.

What's a directory?

Basically, directories are special types of files that contain files and other directories.



Directory structure

Pathname

A "pathname" tells you the path through which you must go to reach a file or directory. The root directory is the first level of the directory structure (and is the first character of a pathname); all other directories and files branch out from the root directory.

Home directory


For example, your home directory (your login directory) might be called `/home/joe`. The first `/` indicates the root directory; root has a directory called `home` in it. Your directory (`joe`) is in the `home` directory.

Change and create directories

Changing the working directory

You can move up and down through directories, or go directly to a directory by using its pathname. Here are some ways to move among directories using the **cd** (change directory) command:

- | | |
|----------------------|--|
| cd | move directly to your home directory from anywhere |
| cd .. | move up one level |
| cd stuff | move down one level |
| cd /home/mary | move directly to the specified directory |
| cd ../mary | move up, then down |



Moving among directories


Home directory

Show the current directory (pwd)

Create a directory (mkdir)

Change current directory (cd)

1. Type **cd** and press RETURN to change to your home directory. A home directory is the directory you normally find yourself in when you log in to the system.
2. Make sure you're in your home directory. Type **pwd** (print working directory) and press RETURN. The **pwd** command displays the complete pathname of the current directory.
3. Let's create a directory. Type **mkdir mystuff** and press RETURN. The **mkdir** (make directory) command creates new directories.
4. Now, move to the mystuff directory. Type **cd mystuff** and press RETURN.
5. Type **pwd** to list your current directory.



Changing and creating directories, steps 1 to 5


6. Let's make some more directories. Type **mkdir food library music** and press RETURN.

Create more directories

You can create more than one directory at a time by listing the names after the **mkdir** command. Don't put commas between the names.

When you look for these directories, they are listed in **mystuff** because you created them while **mystuff** was your current directory.

Your directory structure now looks like this:



Your directory structure

Make library the current directory


7. Let's create a directory under **library**. Type **cd library** and press RETURN to make **library** your current directory.

Remember that **library** is in **mystuff**; if you are not in **mystuff**, **cd library** will not work. Change to **mystuff** first, or go directly to **library** by typing **cd /home/username/mystuff/library**. (In our case, we used **/home/joe/mystuff/library**. Use your own name in place of **joe**.)

Show the current directory

Create a new directory

8. Type **pwd** and press RETURN to make sure `/home/username/library` is the current directory.
9. Type **mkdir books** and press RETURN.



Changing and creating directories, steps 6-13

Change directories

10. Now, let's move back to the `mystuff` directory.

Remember, there are several ways to do this:

- 1) type **`cd`** to change to the home directory, and then type **`cd mystuff`**
- 2) type **`cd /home/username/mystuff`**
- 3) type **`cd ..`** (move up one level) and press RETURN

`cd ..` is the simplest command, so type **`cd ..`** and press RETURN.

Check your directory

11. Type **`pwd`** and press RETURN to display the name of the current directory; it should be `/home/username/mystuff`.


Change to your home directory

12. Now, type **`cd`** and press RETURN.

13. Type **`pwd`** again and press RETURN. What is your current directory? You returned to your home directory (`/home/username`).

Your directory structure

Your directory structure now looks like this:



Your directory structure

List directory contents

List directory contents (ls)

ls (list)

ls -l (long list)

You can list all the files in your directories and list file information such as size, type, time last modified, owner, and permissions.

1. Let's list the contents of your home directory. First, type **cd** and press RETURN to make sure you are in your home directory. Then, type **ls** (list) and press RETURN to look at the contents of the directory.
2. Now, type **ls -l** and press RETURN.

The **ls** command provides a list of file and directory names, in alphabetic order. Adding **-l** to the **ls** command creates an alphabetic list in a longer format. The **ls -l** command provides more information about the files, including the file type; the read, write, and execute permissions; the number of blocks in the file; the owner and group; the date and time the file was created or last modified; and the name of the file.

file type (d=directory)	permissions (read, write, execute)	size	owner	group	date/time modified	name
\$ ls mystuff						
\$ ls -l						
drwxr-xr-x	5	joe	gp1	80	Aug 8 09:53	mystuff

List directory contents, steps 1 and 2

ls -a (all files)

3. Let's try another **ls** command. Type **ls -a** and press RETURN. You see an alphabetic list of short names, just as if you typed **ls**; however, there are more file names listed. File names beginning with a period show up on the **ls -a** list. These files (called dot files) are normally hidden from users because they are special system configuration files that you won't access frequently.

```
$ ls -a
.  .. .profile  mystuff
$
```

List directory contents, step 3

ls -al (all files, long list)

4. Type **ls -al** and press RETURN to look at the same list in the long format.

```
$ ls -al
drwxr-xr-x 5 joe gpl 512 Aug 8 09:52 .
drwxr-xr-x 8 bin bin 128 Jul 7 12:40 ..
-rw-r--r-- 1 joe gpl 191 Jul 7 12:38 .profile
-rw-r--r-- 1 joe gpl 40 Jul 8 08:30 .rhosts
drwxr-xr-x 5 joe gpl 80 Aug 8 09:53 mystuff
$
```

List directory contents, step 4

ls -lt (long list by time)

5. Let's look at the contents of the mystuff directory. First, change the current directory to mystuff. Type **cd mystuff** and press RETURN.
6. Type **ls -lt** and press RETURN. This list displays files in the order the files were created or modified, beginning with the most recent change.

```
$ cd mystuff
$ ls -lt
drw-r--r-- 1 joe gp1  40 Aug 8 09:58 music
drwxr-xr-x 5 joe gp1 512 Aug 8 09:53 library
drwxr-xr-x 5 joe gp1  80 Aug 8 09:50 food
$
```

List directory contents, steps 5 and 6

ls -lrt (long list, reverse time)

7. To reverse the order of a listing, add **-r** to any of the **ls** commands. For example, type **ls -lrt** and press RETURN for a list of files displayed in order of the earliest date and time to the most recent date and time.


```
$ ls -lrt
drwxr-xr-x 5 joe gp1  80 Aug 8 09:50 food
drw-r--r-- 1 joe gp1  40 Aug 8 09:58 music
drwxr-xr-x 5 joe gp1 512 Aug 8 09:53 library
$
```

List directory contents, step 7

Rename directories

Use the **mv**
(move)
command to
rename

1. Renaming directories is very easy. Let's rename the mystuff directory. First, type **cd** to change to your home directory (/home/joe) and press RETURN.
2. Type **ls** and press RETURN. You see the mystuff directory listed in the contents of the home directory.
3. Now, type **mv mystuff junk** and press RETURN. You've just changed the name of the mystuff directory to junk.
4. Check the contents of your home directory. Type **ls** and press RETURN. You should see junk listed rather than mystuff.



Renaming directories, steps 1-4

Remove directories

Delete empty directories

Removing empty directories is easy. However, if you want to delete directories that have files or directories in them, you first have to empty them. Removing directories with contents can be dangerous; refer to the *Using Amiga UNIX* manual for instructions.

Since the books directory is empty, let's delete it.

Start at your home directory

1. First, check your current directory (**pwd**), which should be your home directory. If your home directory is not your current directory, type **cd** and press RETURN.

Move to library

2. Move to the library directory (**cd junk/library**).

Check library contents

3. List the contents of the library directory (**ls -l**). (The library directory should include only the books directory.)

rmdir (remove directory)

4. Type **rmdir books** and press RETURN.
5. To make sure the books directory is gone, type **ls -l** to list the contents of library. The library directory is now empty.

display current directory

make library the
current directory

list the contents
of library

```
$ pwd
/home/joe
$ cd junk/library
$ ls -l
drwxr-xr-x 1 joe grp1 10 Aug 14 14:30 books
$ rmdir books
$ ls -l
total 0
$
```

remove the books directory

list the contents of library
(it's empty)

Removing directories, steps 1-5

Chapter review

Here's a list of the commands you learned in this chapter:

Command	Description
pwd	display the current directory name
mkdir	create a directory
cd	change to a different directory
ls	list the contents of a directory
ls -l	list files in long format
ls -a	list all files
ls -al	list all files in long format
ls -lt	list files by time in long format
ls -lrt	list files by reverse time in long format
mv	move or rename a directory or file
rmdir	remove an empty directory

Editing files using vi

Special keys

ESC cancel insert mode
CTRL-L redraw screen
CTRL-D scroll down
CTRL-U scroll up

Insert and append

i insert text
a add text
o add blank line

Quit and save

:q! quit without saving
:wq save and quit a file
:w save your work

Change text

cw change word
cc erase a line and insert
C change to end of line

Delete text

x delete character
dw delete word
dd delete line
ndd delete *n* lines

Undo and repeat

u undo last change
U undo changes to line
. (dot) repeat last change

Move and copy


dd cut
yy yank (copy)
p paste below

Search

/ search
n repeat search
N reverse search

Move in a file

w to next word
0 back to beginning of line
\$ to end of line
G to last line
nG to the *n*th line




Editing files using vi

What's in this chapter?

Although you have a number of UNIX programs you can use to edit and format text, this tutorial focuses on the **vi** (visual) editor. ("vi" is pronounced "vee eye".) The exercises in this chapter show you how to create, save, quit, and edit files by using **vi** commands.

vi commands are different from UNIX commands. You can't use **vi** commands from a shell prompt, and you can't use UNIX commands inside **vi**.

Since a lot of material is covered in this chapter, each section has its own review.



UNIX commands can have their own options and commands

Before you begin

You don't need to know **vi** to complete these exercises. This chapter is designed to give you an overview of the **vi** editor, but it doesn't provide a lot of detail. For a more complete list of **vi** commands, refer to the *Using the vi editor* chapter in *Using Amiga UNIX*.

Follow directions carefully

Follow the directions carefully; you could easily make a mistake and become confused if you press keys you aren't told to press.

vi is a modal program

vi is a modal program; that is, keys perform different tasks depending upon which mode you're in. If you're in the wrong mode, you may have trouble getting out to continue the exercise. If this happens, try pressing ESC.

The base mode is command mode, where most keys start a command. You can temporarily switch to either of the other modes (insert or file), then return to command mode. The three modes are described in the chart on the next page.

3 modes in vi

Here are the three modes you find in **vi**.

Mode	Description
insert	enter with an insert command (i, I, o, O, a, A); during insert mode, characters are entered as text; exit by pressing ESC
command	numbers and letters act as editing commands; they don't appear on the screen and are not inserted in the file
file	begin these commands with a colon (:w, :q, :q!) and execute by pressing RETURN

Moving within a vi file

Here are the commands you use to move around in a **vi** file. Remember to use them only in command mode. You can also use the arrow keys to move the cursor.

Command	Description
k	move cursor up
j	move cursor down
h	move cursor to the left
l	move cursor to the right
w	move cursor by word
0 (zero)	move cursor to beginning of line

Create files in vi

Change to the food directory

Create the snacks file

1. Let's make some files to put into your food directory. First, move to your home directory (**cd**). Then move down to the food directory (**cd junk/food**).
2. Type **pwd** and press RETURN to view your current directory; make sure your current directory is food.
3. Now type **vi snacks** and press RETURN. The **vi filename** command either opens a file (if it exists in the current directory) or creates a new file.

```
$ cd
$ cd junk/food
$ pwd
/home/joe/junk/food
$ vi snacks
```

Creating files, steps 1-3

You've just created a file called snacks. Your screen fills with lines, each starting with a tilde (~). The filename is at the bottom of the screen.

```
~
~
~
~
"snacks" [New file]
```

Sample vi file

4. Let's put some text into the snacks file. Press **i** to begin the text insertion mode of the **vi** editor.

Press i to begin inserting text

BACKSPACE and rekey to correct mistakes

Add more lines


Press ESC to quit insert mode

The letter "i" doesn't appear on your screen because **vi** is expecting a command. Until you press an insert command key (**i,I,a,A,o,O**), nothing you type is added to your file

5. Type **cake** and press RETURN. See how the text appears on your screen?
6. Type **cooks** on the next line, but don't press RETURN yet.
7. You really need to type **cookies** rather than **cooks**. To correct your "mistake," press the BACKSPACE key. The "s" in cooks doesn't disappear, but you can type over it.
8. Type **ies** to make cookies. If you make a mistake, press the BACKSPACE key and retype. Press RETURN.
9. Type **fruit** on the next line and press RETURN.
10. Type **potato chips** on the next line and press RETURN.
11. Let's save and exit the snacks file. Type **:w** to save the file.
12. The **:w** appeared on the text line; that's because you're still in insert mode. BACKSPACE over the **:w**; it remains on your screen but is not actually part of your file.
13. Exit text insert mode by pressing ESC.

Save a file (:w)

14. Now, type **:w** and press RETURN.



A terminal window showing a list of items: cake, cookies, fruit, potato chips, and three tilde symbols (~). Below the list, the command `:w` is entered. An arrow points from the text `:w to save a file` to the `:w` command. Below the command, the output reads: `"snacks" [New file] 4 lines, 32 characters`.

```
cake
cookies
fruit
potato chips
~
~
~
:w
"snacks" [New file] 4 lines, 32 characters
```


Saving a file, step 14

The **:w** appears briefly on the bottom of your screen.
You just saved the snacks file.

File commands are preceded by a colon and require
you to press RETURN before they execute.

Quit a file (:q)

15. Quit the file. Type **:q** and press RETURN to quit.
Your shell prompt is back again.



A terminal window showing the same list of items as before. Below the list, the command `:q` is entered. An arrow points from the text `:q to quit a file` to the `:q` command.

```
cake
cookies
fruit
potato chips
~
~
~
~
~
~
~
:q
```

Quitting a file, step 15

Create more files

Create a new file

1. Let's create another new file and practice editing it. Type **vi world** and press RETURN.
2. Type the following lines into the world file.

```
french  
mexican  
italian
```

Press i for text insertion

Remember, you need to start insert mode by pressing **i** before you can type text. (You can also start insert mode by using the other insert commands: **I**, **a**, **A**, **o**, **O**.)

Try to quit

3. Press ESC to quit insert mode, then quit the file by typing **:q** and pressing RETURN. What happens?

Because you have not saved the file yet, **vi** displays a warning message at the bottom of the screen.

```
french  
mexican  
italian  
  
:q  
No write since last change (:quit! overrides)
```

warning message

Try to quit a file, step 3

Quit without saving (:q!)

Open a file

Start insert mode

Insert blank line and enter insert mode (o)

4. Let's quit without saving this file. Type **:q!** and press RETURN. The **!** (exclamation point) at the end of the **:q** command overrides the warning message so you can quit without saving the file.
5. Let's add more text to the snacks file. First, open the file again; type **vi snacks** and press RETURN.
6. Move the cursor down to the beginning of the word "cookies" with the arrow key, then press **i** (insert mode).
7. Type **chocolate** to make chocolate cookies.
8. Press ESC to quit insert mode.
9. Move the cursor down to the last line with the arrow keys. Press **o** to begin inserting text on a new line below the cursor.
10. Type **pie** and press RETURN.
11. Type **tarts** and press RETURN.

```
cake
chocolate cookies
fruit
potato chips
pie
tarts
~
~
```

Add to a file, steps 7-11

**Add text after
cursor (a)**

**Combine save
and quit (:wq)**

12. Move the cursor up to the "e" in "chocolate".
13. Let's add "chip" to make chocolate chip cookies.
Since you're in command mode, press **a** to enter insert mode and type **chip**. The **a** command inserts characters after the cursor.
14. Press ESC (to quit insert mode), then type **:wq** and press RETURN. (**:wq** combines the save and quit commands.)

```
cake  
chocolate chip cookies  
fruit  
potato chips  
pie  
tarts  
~  
:wq
```

Add to a file, steps 12-14

REVIEW

Here's a list of concepts and commands you learned in this section.

Open a file

Type **vi** *filename* to open a file.

3 modes in vi

Mode	Description
command	keys perform editing commands
insert	insert command keys (i , I , a , A , o , O) add text until you press ESC to quit
file	commands are preceded with a colon and are used to save and quit a file (:w , :q , :wq)

Commands learned in this section


Command	Description
i	insert text (start insert mode)
a	add text (start insert mode)
o	insert a blank line and start insert mode
:w	save a file
:q	quit a file
:wq	save and quit a file
:q!	quit without saving

Delete text and undo changes

Create another file

Although you learned how to create and save files in the previous exercise, you haven't learned how to delete or undo your mistakes. This exercise shows you how to quickly and easily correct errors.

1. Let's create another file. Type **vi groups** and press RETURN. Now type **meat**. What happens?
2. Only the "t" in meat appears. Why?



Create another file, steps 1 and 2

Because you are not yet in insert mode! The **vi** editor ignored the "m" and the "e" because they aren't valid **vi** commands, but read the "a" as an insert command.

3. BACKSPACE over the "t", type **meas** and press RETURN. The text appears this time because you started insert mode.
4. "Meas" isn't a real word. Let's delete the "s". Press ESC to quit insert mode, then use the arrow keys to move the cursor over to the "s".
5. Press **x** to delete the letter. Remember, since you're back in command mode, **x** acts as a command key, not as a character.

Remember to change modes

Delete a character (x)

Add more lines

6. Press **a** to enter insert mode, type **t**, and press RETURN.
7. Type the following new lines into the file. Remember to press RETURN after each line.

```
meat
fruits and vegetables
cereals and candy
dairy products
```

Delete a word (dw)

8. Let's get rid of the words "and candy" on the third line. Press ESC to exit insert mode and use the arrow keys to move the cursor to the word "and."
9. Type **dw** to delete the word "and."

dw to delete a word

```
meat
fruits and vegetables
cereals↓ candy
dairy products
```

Delete a word, step 9

Undo (u)

10. Let's try to undo the delete. Press **u**. What happens?

Press **u** to undo a change

meat
fruits and vegetables
cereals and candy
dairy products

Undo a change, step 10

The word "and" reappeared. **u** acts like an undo key when you're in command mode. It can undo everything you entered on a line since starting insert mode, but only if you press it as soon as you return to command mode.

Delete a line (dd)

11. Now, let's delete a whole line. Type **dd** to delete "cereals and candy".

Undo the delete

12. Since you still want to include the word "cereal", press **u** to undo your last delete.


Undo undo

13. Just for fun, press **u** again. What happens? The **u** command undid your last undo and deleted the line again.

14. Press **u** again to make the line reappear.

Delete to end of line (D)

15. Now, get rid of the words "and candy." Press **w** to move the cursor to the word "and," then press **SHIFT-D**. The **SHIFT-D** (upper case "D") combination deletes text to the end of the line.



Delete, step 15

Save and quit the file

16. Since you're in command mode (delete commands only work in command mode), type **:wq** and press **RETURN** to save and quit the groups file.

REVIEW

Here's a list of commands you learned in this section.

Command	Description
x	delete character
dw	delete word
dd	delete a line
D	delete to end of line
u	undo the last command

Remember that all these commands work only in command mode. If you're in insert mode, press ESC to end insert, then use the command.

Edit a file

Create a new file

In previous exercises, you corrected mistakes by deleting the mistake and retyping; this isn't a very efficient way of changing text. The next exercise shows you how to use various **vi** commands to move around in a file and make corrections.

Press **i** for text insertion

1. Let's create the world file again. Type **vi world** and press **RETURN**. Because you did not save it the last time, **vi** creates a new file.
2. Press **i** for insert mode and type the lines shown below.

```
French  
Mexican  
Italian  
German  
These are the foods of the world.
```

Move to beginning of line (**0**)


Move by word (**w**)

Change a word (**cw**)

3. Let's change the last sentence since it doesn't match the other lines. Press **ESC** to exit insert mode and press **0** (zero) to move the cursor to the beginning of the line (or move the cursor with the arrow keys).
4. Now, press **w** twice to move the cursor to "the". The **w** command moves the cursor forward one word.
5. Type **cw**. Notice that this command replaces the last character of the word "the" with a \$ (dollar sign). You are back in insert mode and can type text again.

Change a line (cc)

Change a line (C)



Change word, step 5

6. Type **types of**. Your sentence now reads: "These are types of foods of the world."
7. Let's change the line again. Press ESC, then type **cc**.
8. The **cc** command deletes the current line and puts you back in insert mode.
9. Type **I like all kinds of food**.
10. This line still doesn't fit with the rest of the file; let's change it one more time. Press ESC to quit insert mode, press **0** (zero) to move to the beginning of the line, then press **C** (SHIFT-C) to change the line.

Although **C** changes a line, it's different from **cc** because the original line doesn't disappear. Like the **cw** command, a \$ appears at the end of the text to be changed, and you can type over the line to change it.

Save and quit the file (:wq)

11. Type **Indian** and press RETURN to make the remainder of the line disappear.
12. Let's save and quit this file. Press ESC, type **:wq**, and press RETURN. The shell prompt reappears.

```
French
Mexican
Italian
German
Indian

:wq
"world" [New file] 6 lines, 38 characters
$
```

Edit a file, steps 10-12

REVIEW

Here's a list of the commands you learned in this section.

Command	Description
0 (zero)	move to beginning of line
w	move ahead one word
cw	change a word
cc	erase a line and insert
C	change to the end of a line

**Paste below
cursor (p)**

8. Move the cursor to the fruit line, then press **p** to paste the lines in the buffer below the cursor.

```
apple pie
apple tarts
cake
chocolate chip cookies
fruit
apple pie
apple tarts
potato chips
```

Copy and paste lines, steps 7 and 8

**Change apple to
lemon**

9. Use the **cw** command to change apple to lemon on both lines.

```
apple pie
apple tarts
cake
chocolate chip cookies
fruit
lemon pie
lemon tarts
potato chips
```

Change word, step 9

**Save and quit the
file (:wq)**

10. Press **ESC** to quit insert mode, then type **:wq** to save and quit the file.

REVIEW

Here's a list of commands you learned in this section.

Command	Description
<code>dd</code>	cut (delete) a line
<code>n dd</code>	cut (delete) <i>n</i> lines
<code>yy</code>	copy (yank) a line
<code>n yy</code>	copy (yank) <i>n</i> lines
<code>p</code>	paste text below the cursor line
<code>P</code>	paste text above the cursor line

Search and repeat

These exercises show you how to search for words and repeat commands to quickly edit your files.

1. First, open the snacks file (**vi snacks**).

```
apple pie
apple tarts
cake
chocolate chip cookies
fruit
lemon pie
lemon tarts
potato chips
```

Use **/** to search

2. Press **/** (slash). The **/** appears at the bottom of your screen; type the text you want to find next to it.
3. Type **lemon** and press RETURN. The cursor moves to the first occurrence of lemon.
4. Type **cw** (change word) and type **peach**.


Use **n** to search again

5. Press ESC to quit insert mode and press **n** to seek the next occurrence of lemon.

Use **dot** command to repeat the last change

6. To repeat the last change easily, press the period key (**.**). The "dot" command repeats the last change. If your file was longer, you could continue to repeat the search and replace words until you ran out of lemon.

- **/lemon** and press RETURN to find lemon
- **cw** to change lemon to peach
- **n** to seek next lemon
- **.** (dot) to repeat change



```
apple pie
apple tarts
cake
chocolate chip cookies
fruit
peach pie
peach tarts
potato chips
```

Search and repeat change, steps 2-6

**Save and quit
(:wq)**

7. Save and quit the snacks file (:wq).

Search (/)

Delete word

Look for next (n)


Repeat (.)

You've just learned a complex process in a short amount of time, so let's do another search and repeat exercise.

1. Open the snacks file again (**vi snacks**).
2. Let's get rid of the word "peach" in the file. First, press **/** to begin the search.
3. Type **peach** next to the slash and press RETURN. The cursor moves to the first occurrence of peach.
4. Type **dw** to delete the word "peach".
5. Press **n** to look for the next peach.
6. Press **.** to delete peach again.

- **/peach** and press RETURN to find peach
- **dw** to delete peach
- **n** to seek the next peach
- **.** (dot) to repeat the deletion

```
apple pie
apple tarts
cake
chocolate chip cookies
fruit
pie
tarts
potato chips
```



Another search and repeat change, steps 1-6

**Delete potato
chips**

**Save and quit the
file (:wq)**

7. The list is no longer in alphabetical order, so let's get rid of the "potato chips". Move the cursor to the last line and type **dd**.
8. Type **:wq** to save and quit the file.

REVIEW


Here's a list of the commands you learned in this section.

Command	Description
<i>/term</i>	search for <i>term</i>
.	repeat last change
n	repeat search (find next <i>term</i>)

Chapter review

Here's a list of the **vi** commands you learned in this chapter:

Command	Description
k	move cursor up
j	move cursor down
h	move cursor to the left
l	move cursor to the right
w	move cursor ahead one word
0 (zero)	move cursor to beginning of line
i	start insert mode after cursor
a	start insert mode before cursor
o	start insert mode with a blank line
:w	save a file
:q	quit a file
:wq	save and quit a file
:q!	quit without saving
x	delete a character
dw	delete a word
dd	delete a line
D	delete to end of a line
u	undo the last command
cw	change a word
cc	erase a line and insert
C	change to the end of a line
dd	cut (delete) a line
n dd	cut (delete) <i>n</i> lines
yy	copy (yank) a line
nyy	copy (yank) <i>n</i> lines
p	paste below cursor
P	paste above cursor
/term	search for <i>term</i>
. (dot)	repeat last change
n	repeat search (find next <i>term</i>)



Using UNIX file commands

File commands

cp	copy a file
mv	move or rename a file
rm	remove a file


cp office procs



mv jobA job1



rm zoo




Print commands

lp	print a file
pr	format a file
lpstat -o	check print queue
cancel	cancel print request

File display commands

cat	display a file
more	display a file one screen at a time
head	display the beginning of a file
tail	display the end of a file



Using UNIX file commands

What's in this chapter?

You create and edit text with a text editor. You use UNIX commands to work with files in other ways, including:


- displaying a file
- printing a file
- copying a file to a new name or a new place
- renaming a file or directory
- moving a file to a new place
- deleting one or more files

Before you begin

In the *Working with directories* chapter, you learned about directory and file structures and about moving among directories. You learned that you can use pathnames to refer to directories (/home/joe/stuff) or you can use shortcuts (for example, .. indicates the parent directory).

Current directory structure

You should still have the directory structure you created in the previous exercises.



Your current file and directory structure

Wildcard characters

You can also use wildcard characters to represent several file names. For example, if you want to use a command with each of the files in the food directory, you simply type the command with an * (asterisk) instead of a filename (food/*).

You can use * to replace a character or series of characters. For example, if you wanted to read all the files beginning with "p" in the office directory, you'd type **more office/p***.

For a complete list of wildcard characters, refer to *Using Amiga UNIX*.

Display a file

View a file (cat)

In an earlier exercise, you used the **ls** command to look at the contents of a directory. You use different commands to look at files. You can open a file through the **vi** program or you can view a file with UNIX commands such as **cat**, **more**, **head**, and **tail**. These commands enable you to see, but not edit, a file.

1. Let's look at a file with the **cat** command. Type **cat snacks** and press RETURN.

The file displays on your screen and the shell prompt returns.

2. Now let's look at another file. Type **cat /etc/termcap** and press RETURN.

Notice how quickly the file scrolls to the end. You have no time to read information because it moves too fast.

View one page at a time (more)

3. Sometimes you need to display a file slowly so you can have time to read it. Type **more /etc/termcap** and press RETURN. The **more** command displays one screen of a file at a time.

NOTE: Don't worry about trying to understand the contents of the `/etc/termcap` file. We're using it only for display purposes.

4. You can move forward or backward in the file by using the keys listed below. Try to use them to view the `/etc/termcap` file.

more command keys


Key	Description
RETURN	display next line
SPACE	display next screen
b	skip backwards one screen
h	display help for the more command
q	quit

View the beginning of a file (head)

View the end of a file (tail)

5. Sometimes you only need to look at the beginning of a file. In this case, use the **head** command. Practice using this command now; type **head /etc/termcap** and press RETURN. Only the first ten lines of the file display before your shell prompt returns.
6. Now type **tail /etc/termcap** and press RETURN. The **tail** command displays only the last ten lines of a file.
7. You can also specify how many lines the **head** or **tail** commands should display. For example, type **tail -15 /etc/termcap** and press RETURN to display the last 15 lines of the file.

Display commands



Display a file with UNIX commands

Print a file

Now that you've created files through the **vi** editor, you can print them on a printer. Before you perform this exercise, make sure a printer has been set up for your system.

Print a file (**lp**)

1. Let's print the snacks file. Type **lp snacks** and press RETURN. The **lp** command sends the print request to the printer.

File permission

NOTE: In order to print a file, other users must have permission to execute the file. UNIX interprets **lp** as an "other user". If you own the file, you can add this permission by typing **chmod o+x filename**.


Format and print a file (**pr file | lp**)

2. Request another printed copy of snacks; however, before you print the file, format it with headers and margins. Type **pr snacks | lp** and press RETURN. The **pr** command formats files.

Check the print queue

3. Most likely, you share your printer with other users. If this is the case, you may have to wait a while before your file prints. Your print requests wait in a list of similar jobs called a queue. Find where your requests are in the queue by typing **lpstat -o** and pressing RETURN. Look for your name and the ID assigned to your job.

Cancel a print request



A terminal window showing the output of the command `$ lpstat -o`. The output lists three print jobs. Annotations with arrows point from labels to specific columns: 'ID' points to the first column, 'user' points to the second, 'file size' points to the third, 'date and time submitted' points to the fourth and fifth columns, and 'printer' points to the sixth column. The first job's ID, 'Postscript-1165', is circled.

ID	user	file size	date and time submitted		printer
Postscript-1165	joe	122	May 24	09:30	on pr1
Postscript-1167	joe	122	May 24	09:35	
Postscript-1168	pat	435	May 24	09:45	

Check print queue, step 3

4. You don't need two copies of the snacks file, so cancel the first request. Type **cancel ID**.


Unless you're logged in as root, you can only cancel your own requests.

Copy a file

Let's look at what you've created so far

Sometimes you need to duplicate your files, perhaps because someone wants a copy of your file to work with and you don't want to change the current file. This exercise shows you how to copy files.

1. Before we begin, let's look at the files you've created so far. First, type **pwd** to make sure you're still in the food directory. If you're not, type **cd junk/food** from the home directory.
2. Type **ls** to list all the files in your food directory. A picture of your food directory looks like this.



Your food directory


Copy a file (cp)

3. Let's make a copy of the snacks file. At the shell prompt, type **cp snacks newsnacks** and press RETURN.

The **cp** *file copyfile* command makes a copy of a file.

Let's look at the food directory

4. Your copy is now in the same directory. Type **ls** and press RETURN; newsnacks should be listed.



Copy a file, steps 1-4

Look at the contents of a file (cat)

5. Let's look at the contents of your newsnacks file. Type **cat newsnacks** and press RETURN. You see the newsnacks file contains the same lines as the snacks file.

Rename or move a file

Rename a file (mv)

Sometimes you need to rename files because names are so similar they are confusing or, perhaps, because you decide to standardize your file names. This exercise shows you how to rename and move files and directories so you can maintain and list your directories effectively.

1. The name "newsnacks" is too much like the name "snacks". Let's change newsnacks to goodthings. You should be in the food directory. If you're not, move there now (type **cd junk/food** from the home directory). At the prompt, type **mv newsnacks goodthings** and press RETURN. This changes the newsnacks file into the goodthings file.
2. Type **ls** to list the food directory and make sure goodthings is listed.



A terminal window with a light gray background. At the top, the text "change a file's name" is written in a light gray font. An arrow points from this text down to the first line of the terminal output. The terminal shows a shell prompt "\$" followed by the command "mv newsnacks goodthings", another prompt "\$" followed by "ls", and the output "goodthings groups snacks world". The prompt "\$" appears again at the end of the line.


```
change a file's name
$ mv newsnacks goodthings
$ ls
goodthings groups snacks world
$
```

Rename a file, steps 1 and 2

Move a file into another directory (mv)

List the contents of the junk directory

3. You can also use the **mv** (move) command to move files into other directories. Let's move the groups file (in the food directory) into the music directory. Since you're in the food directory, type **cd ..** to move up one directory level to the junk directory.
4. Type **pwd** to make sure you're in the junk directory and **ls** to verify that your current directory contains the food and music directories.



Move a file, steps 3 and 4

Change to food directory

5. Type **cd food** and press RETURN to make food the current directory.
6. Type **ls** to list the contents of the food directory. It should include goodthings, groups, snacks, and world.

Move a file

7. Type **mv groups ../music/albums** and press RETURN.

The **mv *file directory*** command moves a file from one directory to another, using the same filename. The **mv *file directory/file*** command moves a file to another directory and gives it a new name.

List the contents of the food directory

8. Now, type **ls** and press RETURN to look for the contents of the food directory. Do you see groups?


No, you don't see the groups file because you moved it into the music directory under the name "albums".

Change to the music directory

9. Type **cd ../music** and press RETURN to make music your current directory.

List the contents of the music directory

10. Look at the contents of the music directory; type **ls** and press RETURN. The albums file is in your music directory.



Move a file, steps 5-10

Look at the albums file


11. Look at the contents of the albums file; type **cat albums** and press RETURN.

Move the file back into the food directory

12. Meat, fruits and vegetables, cereals, and dairy products aren't music albums, so let's move the file back into the food directory and change its name back to groups. Type **mv albums ../food/groups** and press RETURN.

List the contents of the food directory

13. Check the contents of food by making it the current directory (**cd ../food**) and listing the contents (**ls**).



Move a file, steps 11-13

Delete a file

Remove a file (rm -i)

Why use the -i option?

Sometimes you need to remove unwanted files and directories that are taking up disk space. Be very careful when using remove commands; you can't undo a remove command or recover a file after it has been deleted.

1. Snacks and goodthings have the same contents. You don't need two copies of the same file, so let's get rid of goodthings. Make sure you're in the food directory (**pwd**), then type **rm -i goodthings** and press RETURN. What happens?

rm (remove) is the delete command. The **-i** (interactive) option asks if you are sure you want to remove the file.

```
$ pwd
/home/joe/junk/food
$ rm -i goodthings
rm: remove goodthings: (y/n)?
```

Delete a file, step 1

Because any file you remove cannot be brought back (unless you have a backup), using the **rm** command alone can be dangerous. You should always type **rm -i** so you can make sure you're deleting the correct file.

2. Type **y** in answer to the query and press RETURN. Check the food directory to make sure the goodthings file is gone (**ls**).

Chapter review


Here's a list of the commands you learned in this chapter:

Command	Description
cat	display a file
more	display a file one screen at a time
head	display the beginning of a file
tail	display the end of a file
lp	print a file
pr	format a file
lpstat -o	check the print queue
cancel	cancel a print job
cp	copy a file
mv	move or rename a file
rm -i	remove a file



Working with processes

Foreground and background processes



You can continue to work on a screen while a background process runs. The shell prompt remains on the screen. Type **&** at the end of a command line to put a process in the background.

A process automatically runs in the foreground, unless you put it in the background. The shell prompt disappears while a foreground process runs.

Cancel a process

To cancel a foreground process, press CTRL-C.

To cancel a background process,

1. find out the process ID (PID) by typing **ps -a**
2. cancel the process by typing **kill PID**


Working with processes

What's in this chapter?

Before you begin

In these exercises, you'll learn how to list, cancel, and kill foreground and background processes. These functions are useful when you need to know what programs you (or other users) are running and when you want to stop a running process.

These exercises are designed to show you the difference between foreground and background processes. The basic difference is that the shell prompt remains on the screen during background processes (although the process typically disappears), allowing you to continue working on the screen, and the prompt disappears during foreground processes. Rather than use background processes, you may choose to use another virtual screen instead.



Foreground and background processes

Create and cancel a foreground process

Create a foreground loop program

1. First, let's create a temporary program that loops continuously. At the shell prompt, type **while sleep 5; do echo "I'm ba-ack"; done** and press RETURN.

```
$ while sleep 5;do echo "I'm ba-ack";done
I'm ba-ack
```

Create a foreground process, step 1

2. This program displays "I'm ba-ack" on your screen every five seconds. Wait for the first occurrence. Wait a few more seconds; it happens again.

Notice that you do not get a shell prompt while this program is running. The program is running in the "foreground", which means you can't do any other work on this screen while the program is working.

3. Cancel this process by pressing CTRL-C. The shell prompt appears again.

Cancel a foreground process (CTRL-C)

Create and cancel a background process

Create a background loop program

You've just cancelled a foreground process. Processes can also run in the background; these processes may be hidden from you but are still active. Unlike foreground processes, you can use the same screen for other functions while background processes are running; you don't lose the shell prompt.

Since UNIX is a multi-tasking system, you can have many tasks running at the same time, but only one process runs in the foreground. Cancelling a foreground process is easy; you simply press CTRL-C. However, cancelling a background process is more complex. Since your screen is free, CTRL-C won't work. You have to list your processes, find the one you want, then issue a command to stop it.

1. Let's create another program and put it into the background. At the shell prompt, type **while sleep 25; do echo "I'm ba-ack"; done&** and press RETURN. (The ampersand (&) moves the program to the background.)

```
$ while sleep 25;do echo "I'm ba-ack";done&
[1] 405
```

Create a background process, step 1

2. Every twenty-five seconds "I'm ba-ack" appears. Wait for the first occurrence.


View your active processes (ps)

Look for PID

Kill a background process

3. Type **ps -f** and press RETURN to view a list of your running processes. (If you wanted to see a list of all the active processes on the system, you'd type **ps -e**.)
4. **ps -f** displays all your running processes. Many processes are running in your name: your login shell (**ksh**, **sh**, or **cs**h), the **ps -f** command (which has since finished, but was running a moment ago), and the **sleep** command you put in the background.

Look for the number near the beginning of the sleep line. This is the process ID (*PID*) you need to use in the next step.



```
$ ps -f
PID TT STAT  TIME   COMD
363 p2  R   08:42:48  sleep 25
$
```

List processes, steps 3 and 4

5. Type **kill PID** (using the PID from the sleep process) and press RETURN to cancel the process. If you successfully killed the process, the **kill** command responds with the message "terminated".

```
$ kill 363
$ Terminated
$
```

Confirmation that process
has been killed

Kill a background process, step 5

If the **kill** command fails, the **sleep** PID may have changed. Type **ps -f** to obtain the new PID, then type **kill *PID***, using the new PID number, to kill the **sleep** program. The number changes because, after each time the message is displayed, a new **sleep** process starts and the old one ends.

Chapter review

Here's a list of important points you learned in this chapter:


- A foreground process is visible on your screen. While it's running, you cannot perform any other work on that screen.
- Press CTRL-C to cancel a foreground process.
- A background process ends with an `&` and gives you back your shell prompt. You can run as many background processes as you like and still be able to work on your screen.
- Use the **kill** command to cancel a background process.
- Find out the process ID number of a program with the **ps** (or **ps -f**) command.

Communicating with other users

Commands

who	list all active users on a system
who am i	list the identity of the current screen and user
finger	list active local and remote users
talk	send messages to active users on screen
elm	read and send mail

Ways to communicate with users



Communicating with other users

What's in this chapter?


If you share your system with co-workers, or if your system is part of a network, you can communicate with other users. This chapter shows you how to:

- find other users
- "talk" with them
- send mail to them

Before you begin

Before you begin these exercises, ask a friend to work with you. You'll need to know the friend's username (*username*) and the system name (*systemname*).

If you cannot find someone to work with, you can use the guest account on your system. When you installed Amiga UNIX, the system automatically created a user account for guest. Find out the password, if there is one, for this account.



**You can communicate with users on the same system or
on the same network**

Find active users

List all active users (who)

You need to know who else is on the system if you want to talk to them. This exercise teaches you several commands you can use to find out about active users.

1. First, log in to several virtual screens. Log in to F3, F4, and F5. Remember, to change virtual screens press *ALT-functionkey*.
2. Now, let's find out who is currently on the system. Type **who** and press RETURN to produce a list of users on the system.

The list tells you the username, the virtual screen number, and the login date and time for each user. You are included on the user list; in fact, if no one else is using your system, you may be the only user listed.

```
$ who
joe      console      Jul  10   09:30
joe      term/con1      Jul  10   11:30
joe      term/con3      Jul  10   09:45
joe      term/con5      Jul  10   10:40
$
```

List active users, step 1

List your screen identification (who am i)

3. You've just logged in to several virtual screens. To find out which one you're currently using, type **who am i**. This command displays information about your current login session.

List active users (finger)

```
$ who am i
joe      term/con3   Jul 10   09:45
$
```

List user information, step 3

4. Another way you can find out who is logged in to the system is by typing **finger**. The **finger** command displays the username, the full name, the screen number (TTY), the amount of time the system has been idle, the login time, and the location (if known) for each user. Type **finger** and press RETURN to view this type of user list.

```
$ finger
Login Name      TTY      Idle When      Where
joe   Joe Smith term/con1  30 Fri 07:59
joe   Joe Smith term/con2   9 Fri 08:30
joe   Joe Smith term/con3  1d Thu 09:45
$
```

List active users, step 4

Notice that you're listed at least twice. That's because you're working on more than one screen.


Talk to another user

"Talking" to other users

List active users with who

The **talk** command acts like a terminal telephone system. You "call" other users on their terminals by typing **talk *username***. If they're on a different system, type ***username@systemname***.

You can only **talk** to "active" users (users who are logged in to a system) who want to talk to you (**mesg=y**). Use the **who** command to find out if the person you want to talk to is logged in to the system. The **who** command only lists active users, not all users who can use the system. You might be the only user listed if you are the only person logged in to the system.



You can only talk to active users who want to talk back

**Log in as guest
on another
screen**

**Return to your
screen; type who**

**Begin talk
program**

**Change to guest
screen**

1. To give yourself someone to talk to, change to another virtual screen (ALT-F7) and log in as guest. Each system includes an account called "guest".
2. Go back to your original working screen (ALT-F2). Type **who** and press RETURN to list all the active users on your system. Your *username* and **guest** should appear on the list.
3. Type **talk guest** and press RETURN to begin the **talk** function. Your screen displays the following message:

```
[Waiting for your party to respond]
```

Message from talk program


4. You can't **talk** to guest until guest responds to your **talk** request. Change to the screen where you logged in as guest (ALT-F7). You see the following message:

```
Message from Talk_Daemon@utopia at 11:25
talk: connection requested by joe@utopia
talk: respond with: talk joe@utopia
$
$ talk joe@utopia
```

Talk, steps 4 and 5

Guest responds to talk request

5. Type **talk**, followed by your *username*, and press RETURN.
6. The guest screen divides into two parts: the top part where you type and the bottom part where you read replies. Type **I'm sending a message as guest.**



Talk, step 6

Send guest a message

7. Go back to your original working screen (ALT-F2). You see guest's message on the bottom half of your **talk** screen. The cursor remains there until you begin to type.

Read the message

8. Type a message to guest: **Hi guest! Here's my response.** Then go to the guest screen and read it (ALT-F7).

Quit talk

9. Exit the **talk** function by pressing CTRL-C.

Log out as guest

10. Log out of the guest screen (CTRL-D), and return to your original working screen (ALT-F2). A message at the top of your screen tells you the connection has been broken and your shell prompt returns.

Refresh your screen

11. At the shell prompt, type **clear** to refresh your screen.

Use electronic mail (elm)


Comparing talk to electronic mail

You can send mail to active and inactive users

Although the **talk** command is a good way to communicate with other users, it has a few drawbacks:

- you can only communicate with users who are logged in (and have **mesg=y**)
- you may interrupt the work of the person you talk to

Another way to send information is through the electronic mail system. You can send mail at any time without interrupting other users' work. The mail waits in their mailboxes until they read it, just like when you send a letter through the post office.



You can talk only to active users, but you can send mail to active and inactive users

Types of electronic mail

Help for mail

Access elm

Preparing your system for elm

Your Amiga UNIX system includes two types of electronic mail: **mail** and **elm**.


We'll be using **elm** in the tutorial, but you can use **mail** later if you like. If you have questions about how to use it, read the *Using electronic mail* chapter in the *Using Amiga UNIX* book.

1. At the shell prompt, type **elm** and press RETURN.
2. If you have not started **elm** before, the system sends you some notices about directories it needs to create. Press RETURN (for yes) after each question.

The **elm** mailbox screen appears. If you have any mail messages, they are listed in the top portion of the screen. The first message is highlighted with a reverse-video bar; this "bar" can be moved by pressing **j** (down) and **k** (up).

Some of the commands available through the **elm** mailbox screen are listed at the bottom of the screen. Refer to the *Using electronic mail (elm)* chapter in *Using Amiga UNIX* for information about additional commands.

elm mailbox screen



Sample of the elm mailbox screen

Send a message to yourself

4. For the first exercise, you can send a message to yourself. Press **m** for mail.
5. **elm** asks for the *username* of the person to whom you want to send mail. Type your *username* and press RETURN.

The system displays your full name as it is stored in the passwd file.

-
6. **elm** asks for the subject of your message. Enter **first test** and press RETURN.
 7. **elm** prompts "Copies to:". Since you don't want to send any copies of this message, press RETURN.

When you want to send copies, type other *usernames* here.

```
Command: mail
Send message to: joe To: Joe Smith
Subject of message: first test
Copies to:
Invoking editor ...
```

Using elm, steps 6 and 7

Use the editor (vi) to write your message


8. **elm** tells you it is invoking the **vi** editor and displays a blank file for you to edit.

vi uses a temporary name created by **elm**; the temporary file is automatically deleted when **elm** sends the message.

Enter the following message. (Remember to press **i** to enter insert mode.) If you make a mistake, use **vi** commands to correct it.

This is my first test. I'm just practicing.

Store the message




```
temporary filename

This is my first test.  I'm just practicing
.
~
~
~
~
~
~
"/tmp/snd.380" 0 lines, 0 characters
```

Send a message, step 8

9. Store the message by pressing ESC to quit insert mode, typing **:wq**, and pressing RETURN.
10. **elm** asks you to choose an option. These options are slightly different from the ones on the **elm** mailbox screen.



```
s (send) is the default

Please choose one of the following options by
parenthesized letter: s
e)dit message, edit h)eaders, s)end it, or
f)orget it.
```


Send a message, step 10

Send the message

Press CTRL-L to refresh the index

Since **s** is the default value, press RETURN. **elm** sends your mail and brings you back to the **elm** mailbox screen.

11. Don't be surprised if you don't see the new message listed in the index of messages; it may take a moment or two to reach your mailbox. Press CTRL-L to refresh the screen and update the index.



The screenshot shows the elm mailbox interface. At the top, it says "new message status (N)" and "index of messages". Below this, it says "Mailbox is '/var/mail/smith' with 1 messages". A list of messages is shown, with the first message highlighted by a reverse video bar: "N 4 Aug 14 Joe Smith (72) first test". Below the list, it says "You can use any of the following commands by pressing the first character: d)delete or u)ndelete mail, m)ail a message, r)eply or f)orward mail, q)uit". At the bottom, it says "Command:".


Read a message, steps 11 and 12

12. The reverse video bar highlights your message line. Press RETURN to display the "first test" message.
13. Read your message, then mark it for deletion by pressing **d** at the command prompt.

Read the message

Message marked for deletion

Delete query



Read a message, step 13

The **elm** mailbox screen appears again and a "D" appears at the beginning of the first test message line. This indicates that you've marked the message for deletion; however, the message has not yet been deleted. Messages aren't deleted until you quit **elm**.

14. Press **q** to quit **elm**.

15. **elm** asks "Delete messages?". Type **y** to delete any message with a delete status.



Quit elm, steps 14-15

Mail another message

elm shortcut

Let's send mail to another user. You can send mail to the guest account.

1. At the shell prompt, type **elm guest** and press RETURN.

NOTE: You don't have to send messages through the **elm** mailbox screen; you can send them from your shell prompt with the **elm *username*** command.

2. Enter **second test** as the subject of the message and press RETURN.
3. **elm** displays the "Copies to:" line. Send a copy to yourself; type your *username* and press RETURN.

```
$ elm guest  
To: System guest  
Subject of message: second test  
Copies to:joe
```

Send another message, steps 1-3

**Use an editor (vi)
to write the
message**

4. When the **vi** screen appears, press **i** and type the following message:

Here's a message for guest. I'm also sending it to myself.

**Send the
message**

5. Press **ESC** to quit insert mode, then type **:wq** and press **RETURN** to save the message and quit the editor. Press **RETURN** again to send it.

6. Now let's look at the message in guest's mail directory. Press **ALT-F4** to reach another virtual screen.

Log in as guest

7. Log in as guest on this screen.

**Note the mail
notice**

8. Note the login message "you have mail." This message appears whenever you log in and have mail. **elm** displays this message as long as you have active mail in your mail folder.

9. Let's look at the message (second test) you just sent to guest. Type **elm** and press **RETURN**. The **elm** mailbox screen displays and lists "second test" in the message index.

**Read the
message**

10. If the reverse-video bar highlights the second test message, press **RETURN**. If second test isn't highlighted, move the bar (using the **j** and **k** keys) to select the message, and press **RETURN** to read the message.
11. After reading the message, press **i** to return to the index (mailbox screen).

Reply to the message

Change the subject

Write a reply

12. Press **r** to reply to the message.
13. **elm** asks "Copy message?". Type **y** to include the message as part of your reply.
14. Since you're replying to a message, **elm** automatically knows who to send the reply back to. However, let's change the subject; BACKSPACE over "second test" and type **Reply**. Press RETURN twice.
15. As you can see, your original message is repeated at the top of your reply. Use the arrow keys to move to a blank line, press **i**, and type the following message: **Guest is replying to my mail message.**

```
>Here's a message for my partner.  I'm
>also sending it to myself.
Guest is replying to my mail message.
~
~
:wq
"/tmp/snd.380" 3 lines, 53 characters
```

```
Please choose one of the following options by
parenthesized letter: s
e)dit message, edit h)eaders, s)end it, or
f)orget it.
```

Send another message, step 15

Send the message

Delete the old message

Log out guest

Read your mail


Delete the messages and quit elm

16. Save and quit the file (:wq), then send the message.
17. The mailbox screen reappears. Delete the mail you sent to guest ("second test") by selecting the message, typing **d** at the command prompt and quitting **elm**. (Remember to answer yes to the delete inquiry.)
18. Log out of the virtual screen by pressing CTRL-D.
19. Now, let's look at the reply. Go back to your other screen (press ALT-F2) and read your mail through **elm**. (Press CTRL-L if the message lines don't appear on your mailbox screen.) You have two messages: a copy of "second test" and "Reply".
20. Delete the messages after you read them, then quit out of **elm**. Remember to answer yes to the "Delete messages?" query.

Chapter review

Here’s a list of the commands you learned in this chapter:


Command	Description
who	list all active users on a system
who am i	list the identity of the user and screen
finger	list active users
talk	write messages on your terminal to an active user
elm	send or read mail
elm <i>username</i>	send mail to a user



Changing your system

Commands you use to change your environment

stty	view terminal information and change command keys
color -bc <i>color</i> -fc <i>color</i>	change the screen colors
sioc setfont <i>fontfile</i>	change the screen font
echo <i>variable</i>	displays the contents of the shell variable (\$SHELL, \$HOME)



Working with aliases

alias	display current aliases
alias <i>term</i>="command(s) and option(s)"	create a command to replace a series of commands and options in the K shell; add this line to .profile (in your home directory) to make the alias permanent
alias <i>term</i> command(s) and option(s)	create a command to replace a series of commands and options in the C shell; add this line to .login (in your home directory) to make the alias permanent

Changing your system

What's in this chapter?

This set of exercises shows you how to:

- view your terminal information
- change your command keys
- change your virtual screens
- customize commands

Before you begin


You don't need to know anything special to complete the exercises in this chapter. Simply follow the directions.

View terminal information

View terminal information (stty)

The **stty** command displays terminal information you might find useful. It shows the baud setting of your terminal, information about your monitor (rows, columns, and pixels), and the command keys your system uses to erase lines, cancel commands, and suspend a screen.

1. Type **stty** and press RETURN to view information about your terminal. Pay particular attention to the settings highlighted below.



The image shows a terminal window displaying the output of the `stty` command. The output is as follows:

```
speed 38400 baud;  
rows = 50; columns = 80; ypixels = 400; xpixels =  
640  
intr = ^c, erase = ^h, kill = ^u,  
.  
.  
.
```

Annotations with arrows point to specific settings:

- interrupt (cancel command)** points to `intr = ^c`.
- erase (delete character)** points to `erase = ^h`.
- kill (erase line)** points to `kill = ^u`.

The settings `intr = ^c`, `erase = ^h`, and `kill = ^u` are circled in the original image.

View terminal information, step 1

If a caret (^) appears next to another character, it indicates that you should hold down the CTRL key while typing that character. For example, to erase a line, you might hold down CTRL and press **u**.

Discover your key commands

However, special keys may automatically act as CTRL-*character* key combinations. For example, rather than pressing CTRL and **h** to erase a character, you can simply press the BACKSPACE key (<-). The BACKSPACE key acts like CTRL-H.

2. Look for the commands listed in the table below; then write the key(s) used for that command in the Key(s) column. These are not all of the key commands listed by **stty**, but they are the ones you use most frequently.


Command	Description	Key(s)
erase	delete a character	
kill	erase the current command line	
intr	break (interrupt) a process	

Change command keys

Test the DEL key

The **stty** command also lets you change key commands. Let's try to change a key command.

1. First, try the current erase key. At the shell prompt, type **This is a test** and press the DEL key. Pressing the DEL key prints **^?**; it doesn't delete the last "t" in test.



Test the DEL key, step 1


2. Now, press BACKSPACE two times. (BACKSPACE is the default erase key.) The **^?** and the last "t" in test disappear.
3. Let's change your erase key to the DEL key. Press CTRL-U to erase this line and start over. Type **stty erase**, press SPACE, then press the DEL key (your screen displays **^?** to indicate the DEL key). Press RETURN.
4. Now check your terminal information by typing **stty** and pressing RETURN. Look for the word "erase". DEL is now the value for erase.

Change the erase key to DEL

Check terminal information

Use DEL as the erase key

Change the erase key to g



```
erase key is now DEL

$ stty erase ^?
$ stty
.
intr=^c; erase=DEL; kill=^u;
.
$
```

Change the erase key; steps 3 and 4


5. Let's try using DEL as the erase key. Type **This is another test** and press DEL. As you press DEL, the letters to the left of the cursor disappear.
6. Now, press the BACKSPACE key. Your screen displays ^H rather than deleting characters. You've successfully altered your erase key; BACKSPACE no longer works!

You are not confined to choosing only the BACKSPACE or DEL keys as your erase keys. You can select any key (except for the function keys) to act as your erase key.

7. Let's change your erase key again. Press CTRL-U to clear the line and type **stty erase g**. Press RETURN again.
8. Now, type **This is a test** and press **g** several times. **g** deleted the last characters.

Change colors

2. Let's reverse the colors. Log in to the system on F5, then type **color -bc white -fc black** and press RETURN. The **-bc** option is the background color; the **-fc** option is the foreground (letters) color.



Change your virtual screen colors

Change colors again

3. Let's try it again. This time, type **color -bc black -fc white** and press RETURN. This command returns your screen to the original setting.

Change screen fonts

Change font

You can also change the size and font of the letters that appear on your screen.

Change font size

1. Type **sioc setfont /usr/amiga/lib/font/topaz11** and press RETURN. Notice how your shell prompt became larger.
2. Type some characters. All the letters you type display in topaz11.

```
$ sioc setfont usr/amiga/lib/font/topaz11  
$ l j g f j g r o r o i g r j o j g
```

Change font, steps 1 and 2

3. Now, change your setting back to topaz8 (the default value). Type **sioc setfont /usr/amiga/lib/font/topaz8** and press RETURN.

Create aliases

Create your own commands

An alias is a command you create to:

- change the name of a command
- use as a shortcut instead of typing an entire command and its options
- replace a series of commands you use frequently with a single command

The exercises below show you how to display your current aliases and how to create an alias for displaying an entire year's calendar with a single command.

The format you use to create an alias depends upon which of these shells you have. If your shell is `/bin/sh`, the Bourne shell, you can't use aliases.

Look at current aliases

What shell are you in?

1. First, type **alias** and press RETURN to view your current aliases. These aliases were installed automatically with Amiga UNIX; do not alter them.
2. Now, find out what shell you're in. Type **echo \$SHELL** and press RETURN. The **echo** command displays the contents of the SHELL system variable.

echo \$SHELL displays `/bin/ksh` for the Korn shell and `/bin/csh` for the C shell.

Create a temporary alias

3. At the shell prompt, type the appropriate **alias** command.

Korn shell

```
$ echo $SHELL  
/bin/ksh  
$ alias cyr="cal 1991"
```

C shell

```
% echo $SHELL  
/bin/csh  
% alias cyr cal 1991  
%
```

Create a temporary alias, steps 2 and 3

4. Now, type **cyr** and press RETURN. The alias displays the 1991 calendar.
5. Log in to another virtual screen (ALT-F6) and type **cyr**; press RETURN. What happens? The system tells you the **cyr** alias was not found.

NOTE: Aliases created from the command line only work during your current session.

Log in to another screen

Create permanent aliases

6. Let's make a permanent alias. To do this you need to edit a startup file in your home directory: `.profile` for the Korn shell or `.login` for the C shell. Type **vi .profile** (or **vi .login**) and press RETURN. Here's a sample of a `.profile`.

```
ENV=$HOME/.kshenv
export ENV
EDITOR=vi
export EDITOR
FCEDIT=vi
export FCEDIT
~
".profile" 6 lines, 110 characters
```

Sample `.profile`

NOTE: Make sure you don't make any changes to this file other than the ones listed in the instructions. The `.profile` and `.login` files are important files.

7. Use your arrow keys to move to the last line in the file.
8. Press **o** to add a line below the current line.

Add alias lines to a startup file

9. Type the appropriate lines into the startup file.

Korn shell

```
alias status="who -u;date;pwd"  
alias cyr="cal 1990"
```

C shell

```
alias status (who -u;date;pwd)  
alias cyr (cal 1990)
```

Creating permanent aliases, step 9

10. Press ESC to exit insert mode.
11. Type **:wq** and RETURN to save and quit the file.
12. Log out of your screen (CTRL-D). Press ALT-F6 and log in.

NOTE: You must log out and then log in to use the updated startup file.

13. Type **status** and press RETURN to test your alias.
14. Type **cyr** and press RETURN to test this alias.

Log out and in to use the updated startup file

Test the aliases

Chapter review


Here are some important points you learned in this section:

- You can use the **stty** command to view or change terminal information.
- You can change your screen colors with the **color -bc color -fc color** command.
- You can change the fonts on your screen with the **sioc setfont fontfile** command.
- You can use an alias to replace a series of commands. The alias can be temporary or permanent; to make it permanent you must add it to your `.profile` or `.login` startup file.

Using X windows

X Window System and OPEN LOOK

With OPEN LOOK and the X Window System, you can run many processes on a single screen



Steps to use X Window System and OPEN LOOK

Step	Procedure
1	The first time you use OPEN LOOK, type /usr/X/adm/oladduser at the shell prompt.
2	To start OPEN LOOK, type olinit at the shell prompt.
3	Select the programs option from the Workspace menu.
4	Select the terminal session (xterm) option from the programs pop-up window.
5	Enter commands into the xterm window.

Using X windows

You can create many windows on a single screen

Set up OPEN LOOK

These exercises are designed to show you how to use the X Window System and OPEN LOOK with Amiga UNIX. These programs allow you to set up as many windows as you like on a single screen. Each window acts like a separate terminal screen; you can perform different functions in each window and switch among them with your mouse.

1. First, type **/usr/X/adm/oladduser *username*** at the shell prompt; press RETURN. This program automatically moves some OPEN LOOK startup files to your home directory.

```
$ /usr/X/adm/oladduser joe
$
```

Set up OPEN LOOK, step 1

Log out and in

Run OPEN LOOK

2. Log out, then log in to use your changed startup file.
3. At the shell prompt, type **olinit** and press RETURN.


```
$ olinit
```

Run OPEN LOOK, step 3

The screen goes black, then grey, then white. The pointer changes to an X, then to an arrow. Finally, the Workspace menu pops up.

Select the programs option


4. Select the programs option by moving the pointer over the option and clicking your left mouse button once.



OPEN LOOK Workspace window, step 4

Select Terminal Session

5. Another small window pops up. Select the terminal session (xterm) option by clicking on the word with your left mouse button.




OPEN LOOK Workspace and Programs windows, step 5

The X Window System displays an xterm window where you can perform UNIX commands or start another application.

Shrink window

6. Let's make the window a little smaller. Move the cursor to the corner marker in the upper right corner of the window. Hold down the left mouse button and move the cursor down and to the left until the window is about five inches by three inches.



Reduce the size of the window, step 6

Move window


7. Move the window to the bottom of your screen by clicking (with the left mouse button) on the top bar of the menu, then holding down the button and moving the entire window down.

You resize windows by grabbing the corner; you move windows by grabbing the border.

Add another window

Shrink and move second window

8. Add another window. Select the programs option from the OPEN LOOK Workspace window.
9. Select the Terminal Session (xterm) option.
10. Now, make the new window smaller (drag the corner), and move it to the right side of your screen (drag the border).



Working with X windows, steps 7-10

Active window

11. Select the bottom window by clicking the left mouse button on the top bar until the bar turns dark. The dark bar indicates the active window; anything you type appears only in this window.


12. Type **xclock &** and press RETURN to make the X clock appear.

Run Xclock

13. If you like, you can reshape and move the xclock window the same way you manipulated the xterm windows.

Change active windows

Run vi




Working with X windows, steps 11-13

14. Make the top xterm window the active window.
Click the left mouse button once on the top bar until it turns dark.
15. Type **vi snacks** and press RETURN. You're using the **vi** editor in this window.

You're now running two different programs (**vi** and **xclock**) on one screen. You can use the other xterm window to run more programs if you like.

Quit the vi window with pop-up window




One screen with several windows

16. Quit out of the snacks file (:q!).
17. Quit out of the window by selecting a quit option on a pop-up menu.

To open the pop-up window, click the right mouse button on the arrow in the upper left corner and drag it down until the pop-up window displays. To select quit from this window, move the darkened bar over quit.

Quit xterm

Exit X Window System




Quit an xterm window with the pop-up window, step 17

18. Quit out of the other xterm window.

19. To exit the X Window System, click on the exit option in the OPEN LOOK Workspace window.

20. When OPEN LOOK asks if you want to exit all running programs and the workspace, click on yes.



Exit OPEN LOOK Workspace window, steps 19 and 20

Chapter review

Here are some important points you learned in this section:

- You can use the X Window System and OPEN LOOK to create as many windows as you want on a screen.
- Each window acts like a separate terminal screen; you can run different programs in each window.
- Before you use OPEN LOOK for the first time, type **/usr/X/adm/oladduser**; this sets up the OPEN LOOK default values in your home directory. Log out, then log in to use the changed startup file.
- Run **olinit** to start OPEN LOOK.
- You make windows active by clicking with the left mouse button on the top bar until it turns dark.
- You resize windows by grabbing the corner marker; you move windows by grabbing the border.
- To quit any OPEN LOOK (xterm) window, select the quit option from a pop-up menu. You display the pop-up window by clicking on the arrow icon in the left corner and dragging the cursor down with the right mouse button.

Index

Index

Symbols

\$ 5
% 5

A

alias 116–119
argument 10

B

background process 79, 81, 82, 84
bc 12, 14
break a process 109

C

cal 10, 14
calculator 12, 14
calendar 10, 14
cancel
 background process 82
 foreground process 80, 84
 print request 68, 77
cat 64, 70, 77
cd 17, 29
change
 current directory 29
 key definitions 110–111
 line 47, 49, 59
 password 6, 7
 screen colors 113, 114
 screen fonts 115
 to end of line 47, 49, 59
 word 46, 49, 59
check print status 67, 77
clear screen 92
clock 10, 14

commands

bc 12, 14
cal 10, 14
cancel (print request) 68, 77
cat 64, 70, 77
cd 17, 29
clear 92
color 114
cp 69, 77
date 10, 14
echo 116
elm 93–105
finger 88, 105
head 65, 77
kill 82, 84
lp 67, 77
lpstat 67, 77
ls 23, 24, 25, 29
man 6, 8, 14
mkdir 18, 19, 29
more 9, 11, 64, 77
mv 26, 29, 71, 73, 77
olinit 121, 128
passwd 14
pr 67, 77
ps 82, 84
pwd 18, 29
rm 76, 77
rmdir 27, 29
sc 13, 14
sioc setfont 115
sleep 82
stty 108–112
tail 65, 77
talk 89–93, 105
vi 31–59
who 87, 89, 105
who am i 87, 105
xclock 124
copy a file 69, 77
copy text 51, 53, 59
cp 69, 77

create a directory 18, 19, 29
create a file 34
cut text 51, 53, 59

D

date 10, 14
delete
 character 41, 45, 59, 109
 file 76, 77
 line 43, 45, 59
 mail 99, 104
 to end of line 44, 45, 59
 word 42, 45, 59
directory 16
 .cshrc 118
 .profile 118
 change current 17, 29
 create 18, 19, 29
 display current directory name 18, 29
 home 16, 18
 list contents 23, 24, 25, 29
 move 26, 29
 move among 17, 21
 remove 27, 29
 rename 26, 29
 root 16
display
 beginning of file 65
 current directory 18, 29
 current screen information 87
 file 77
 screen and user information 88
dot command 54
dot files 24

E

echo 116
editor 31–59, 96, 102
electronic mail 93–104
elm 93–105

erase command line 109
erase key 109

F

file
 copy 69, 77
 create 34
 delete 76, 77
 display 65, 77
 format 67, 77
 move 71, 73, 77
 open 40
 print 67, 77
 quit 36, 40, 59
 quit without saving 38, 40
 rename 71, 77
 save 36, 40, 59
 save and quit 39, 40
 view 64, 70
file information 23
find next 54, 58, 59
finger 88, 105
foreground process 79, 80, 84
format a file 67, 77

G

guest account 85, 90, 101

H

head 65, 77
help 8
home directory 16, 18

I

inittab file 113
insert mode 35, 37, 40, 59
interrupt key 109

K

key commands 109
kill a background process 82, 84
kill key 109

L

list 23, 29
list active processes 82, 84
list active users 87, 89, 105
list current screen information 105
log in 4, 14
log out 5, 104
loop program 80, 81
lp 67, 77
lpstat 67, 77
ls 23, 24, 25, 29

M

mail 94
mail message index 98
mail notice 102
man pages 8, 9, 14
mkdir 18, 19, 29
modes, vi 32, 33, 34, 38, 40
monochrome monitor 113
more 9, 11, 64, 77
more command keys 64
move
 among directories 17, 21
 by word 46, 49
 directory 29
 file 71, 73, 77
 in a file 33
 to beginning of line 47, 49
mv 26, 29, 71, 73, 77

O

olinit 121, 128
on-line desk tools 10, 14
on-line reference 8
OPEN LOOK 121–128

P

passwd 6, 14
password 4, 7
 change 6, 7
paste text 51, 53, 59
pathname 16, 61
permissions 23
pipe 11
pr 67, 77
print a file 67, 77
process ID 82, 84
ps 82, 84
pwd 18, 29

Q

quit
 a file 36, 38, 40, 59
 elm 104
 mail 99
 OPEN LOOK 127
 xterm 127

R

read mail 98, 102, 104
refresh a screen 92, 98
remove a directory 27, 29
remove a file 76, 77
rename a directory 26, 29
rename a file 71, 77
repeat command 54, 58, 59
reply to mail 103
rm 76, 77

rmmdir 27, 29
root directory 16

S

save a file 36, 40, 59
save and quit a file 40, 59
sc 13, 14
screen colors 113
screen fonts 115
search 54, 58, 59
send mail 95, 98, 102, 104, 105
shell 5, 82, 116
shell prompt 5
sioc setfont 115
sleep 82
spreadsheet program 13, 14
startup file 119
store a message 97
stty 108–112
system messages 5

T

tail 65, 77
talk 89–93, 105
terminal session 122

U

undo 42, 45, 59
user list 88

V

vi 31–59, 96, 102
 change
 line 47, 49, 59
 to end of line 47, 49, 59
 word 46, 49, 59
 copy text 51, 53, 59
 create file 34

cut text 51, 53, 59
delete
 character 41, 45, 59
 line 43, 45, 59
 to end of line 44, 45, 59
 word 42, 45, 59
find next 54, 58, 59
insert text 40, 59
modes 32, 34, 38, 40
move cursor
 by word 46, 49, 59
 down 59
 left 59
 right 59
 to beginning of line 47, 49, 59
 up 59
movement commands 33
open a file 40
paste text 51, 53, 59
quit a file 36, 40, 59
quit without saving 38, 40
repeat 54, 58, 59
save a file 36, 40, 59
save and quit a file 39, 40
search 54, 58, 59
undo 42, 45, 59
view a file 64, 70
view terminal information 108–112
virtual screens 2, 3, 14, 87, 113

W

who 87, 89, 105
who am i 87, 105
wildcard characters 63
windows 121–128
write a mail message 96

X

X Window System 121–128

xclock 124

xterm 122, 127

